

An ISO 9001 : 2008 Certified Company



Manufacturer & Exporter of

Exclusive Brass Hardwares




CHARVI EXTRUSION

www.charviextrusion.com

Profile...

Annapurna Products, was set up in 1985 as a small scale unit with the brand name "ANNAPURNA". The Foundation stone was laid by Mr Mansukhbhai Mungra. The Unit Started manufacturing Brass Builders Hardware with a sole motive of creating Valuable Products.

Technological Innovations and Studying of various market treads resulted in to tremendous growth into giant unit. The promoters of unit than moved step by step and started foundry of it's own later on it also started importing brass scrap from other countries for raw material to improve it's quality and make it cost effective in nature.

The unit started expanding in late 2000 to specialize in other item also. So we started an extrusion unit with all new machinery and monthly capacity of 150 M. T. per month with brand name Charvi Extrusion, manufacturing brass section & brass rods.

At Charvi Extrusion, we strongly believe in quality We are specialized in brass alloys extrusion in wide array of ranges like: Free Cutting Brass, Forging Brass, Lead Free Brass, Naval Brass and High Tensile Brass.

Taking into consideration the importance of quality adherence, timely delivery of materials and systematic management, we have registered ourselves to ISO 9001:2008 for Quality Management System.







Mission...

"To achieve organizational excellence through visionary leadership and innovative efforts with the merger of latest technology and an empowered team committed to achieve total customer satisfaction."

Quality...

At Charvi Extrusion, we are well equipped with high efficiency Quality Testing Machines like modernized Spectromaxx, Tensile Strength Checker, Profile Projector, Hardness Testing Machine and a wide array of TQM systems. After passing all arrays of rigorous testing these machines ensure best possible quality check for our esteem customers.

Test Equipment and Facilities:

- Hardness Testing Machine
- Conductivity Testing Machine
- Spectro Meter
- Chemical Testing Lab
- Hydrostatic Testing Machine
- Universal Tensile Testing Machine
- Profile Machine

We consider each stage of the production process as critical and monitor it with precision. From temperature controls while the online spectro-analysed metal is being poured to monitoring the pre-heating and soaking of billets, and fracture testing of each and every brass alloys extrusion we use stringent control methods to ensure, quality, compliance and safety.

Every state of the production cycle is considered important and thus closely monitored, be it pouring of online spectro-analysed metal at right temperature or pre-heating / soaking of billets, to fracture testing of each and every brass alloys extrusion.







Credentials...

BSCIC

NABCB QM000

An ISO 9001:2008 Certified Co.

CHARVI EXTRUSION

1



Brass Tower Bolts 5mm (1/4")

Size

- 50mm (2")
- 63mm(2.1/2")
- 75mm(3")

2



Brass Tower Bolts 7mm (5/16")

Size

- 63mm(2.1/2")
- 75mm(3")
- 100mm (4")

3



Brass Tower Bolts 8mm (3/8" Medium)

Size

- 75mm (3")
- 100mm (4")
- 150mm (6")

4



Brass Tower Bolts 8.5mm (3/8" Heavy)

Size

- 75mm (3")
- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm (10")
- 300mm (12")

5



Brass Tower Bolts 9mm (3/8" HEX)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")



Baby Lench Jyorjan

Size

- 75mm (3")

6



Brass Tower Bolts 11mm (1/2" Medium)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")

7



Brass Tower Bolts 11.5mm (1/2" Heavy)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm (10")
- 300mm (12")
- 450mm (18")
- 600mm (24")
- 750mm (30")
- 900mm (36")

8



Brass Tower Bolts 12mm (1/2" Hex)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")

9



Brass Tower Bolts Fancy Half Round

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm (10")
- 300mm (12")
- 450mm (18")

CHARVI EXTRUSION

10



Brass Tower Bolts Fancy Polo (Heavy)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm (10")
- 300mm (12")
- 450mm (18")

11



Brass Tower Bolts Fancy Royal (Heavy)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm(10")
- 300mm(12")
- 450mm (18")

12



Brass Tower Bolts Fancy Audi (Heavy)

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm (10")
- 300mm (12")
- 450mm (18")

13



Brass Tower Bolts Fancy Square

Size

- 100mm (4")
- 150mm (6")
- 200mm (8")
- 250mm (10")
- 300mm (12")
- 450mm (18")

14



Brass Tower Bolts Necked (Marble)

Size


- 100mm (4")
- 150mm (6")
- 200mm (8")

15





16





17



Butt Hinges 1.3mm (1/16")

Size

- 25 x 9 (1" x 3/8")
- 50 x 12 (2" x 1/2")
- 63 x 19 x 19 (2.1/2" x 3/4" x 3/4")
- 37 x 9 (1.1/2" x 3/8")
- 50 x 19 x 19 (2" x 3/4" x 3/4")
- 75 x 19 x 19 (3" x 3/4" x 3/4")

Cutt Hinges 1.3mm (1/16")

Size

- 50 x 12 x 19 (2" x 1/2" x3/4")
- 63 x 12 x19 (2.1/2" x 1/2" x 3/4")
- 75 x 12 x 19 (3" x 1/2" x 3/4")

Butt Hinges 1.8mm (3/32")

Size

- 63 x 19 x 19 (2.1/2" x 3/4" x 3/4")
- 75 x 19 x 19 (3" x 3/4" x 3/4")
- 75 x 22 (3" x 7/8")
- 100 x 22 (4" x 7/8")
- 100 x 19 x 19 (4" x 3/4" x 3/4")
- 100 x 19 x 25 (4" x 3/4" x 1")

Cutt Hinges 1.8mm (3/32")

Size

- 63 x 12 x 19 (2.1/2" x 1/2" x 3/4")
- 75 x 12 x 19 (3" x 1/2" x 3/4")
- 100 x 12 x 19 (4" x 1/2" x 3/4")
- 75 x 12 x 25 (3" x 1/2" x 1")
- 75 x 19 x 25 (3" x 3/4" x 1")
- 100 x 12 x 25 (4" x 1/2" x 1")

Butt Hinges 1.8mm (3/32")

Size

- 75 x 25 (3" x 1")
- 100 x 25 (4" x 1")

CHARVI EXTRUSION



Butt Hinges 2mm (1/8")

Size

- 75 x 25 (3" x 1")
- 100 x 25 (4" x 1")

18



Brass Railway Hinges 2mm (1/8")

Size

- 75 x 25 (3" x 1")
- 100 x 25 (4" x 1")
- 125 x 25 (5" x 1")
- 100 x 28 (4" x 1.1/8")
- 125 x 28 (5" x 1.1/8")
- 150 x 28 (6" x 1.1/8")

19



Brass Railway Hinges 2.5mm (5/32")

Size

- 100 x 28 x 2.5 (4" x 1.1/8")
- 125 x 28 x 2.5 (5" x 1.1/8")
- 150 x 28 x 2.5 (6" x 1.1/8")

20



Brass Railway Hinges 3mm (5/32")

Size

- 100 x 25 (4" x 1")
- 125 x 25 (5" x 1")
- 100 x 28 (4" x 1.1/8")
- 125 x 28 (5" x 1.1/8")
- 150 x 28 (6" x 1.1/8")

21



Brass Railway Hinges 3.5mm (5/32") (Heavy)

Size

- 100 x 28 (4" x 1.1/8")
- 125 x 28 (5" x 1.1/8")
- 150 x 28 (6" x 1.1/8")
- 125 x 31 (5" x 1.1/4")
- 150 x 31 (6" x 1.1/4")

22



Brass SS Pin Railway Hinges 4mm (3/16")

Size

- 125 x 31 (5" x 1.1/4")
- 150 x 31 (6" x 1.1/4")
- 200 x 31 (8" x 1.1/4")
- 125 x 38 (5" x 1.1/2")
- 150 x 38 (6" x 1.1/2")
- 200 x 38 (8" x 1.1/2")
- 125 x 50 (5" x 2")
- 150 x 50 (6" x 2")
- 200 x 50 (8" x 2")

23



Brass Railway Hinges 2mm (3/32")

Size

- 75 x 19 x 19 (3" x 3/4" x 3/4")
- 75 x 22 (3" x 7/8")



Brass Railway Hinges 1.8mm (3/32")

Size

- 75 x 12 x 19 (3" x 1/2" x 3/4")
- 75 x 19 x 19 (3" x 3/4" x 3/4")

24



Brass Bearing Hinges

Size

- 3 x 2 x 2.5mm
- 4 x 3 x 2.5mm
- 5 x 3 x 2.5mm
- 6 x 3 x 2.5mm
- 4 x 3 x 3mm
- 5 x 3 x 3mm
- 6 x 3 x 3mm
- 4 x 3 x 3.5mm
- 5 x 3 x 3.5mm
- 6 x 3 x 3.5mm
- 4 x 3 x 4mm
- 5 x 3 x 4mm
- 6 x 3 x 4mm

25



Brass Bearing Hinges

Size

- 8 x 3 x 4mm
- 10 x 3 x 4mm
- 12 x 3 x 4mm

CHARVI EXTRUSION

26



Brass L Hinges 1.8mm (3/32")

Size

- 6-12-19-25mm (3" x 3/8" x 1.1/4")
- 6-12-19-25mm (3" x 1/2" x 1.1/2")
- 6-12-19-25mm (4" x 1/2" x 1.1/2")
- 6-12-19-25mm (3" x 3/4" x 1.3/4")
- 6-12-19-25mm (4" x 3/4" x 1.3/4")

27



Brass "W" Hinges

Size

- Medium"
- Heavy"
- 3"
- 4"

28



Brass Crown Hinges

Size

- 2"
- 2.1/2"
- 3"

29



Brass SS Pin Parliament Hinges

Size

- 3" x 3"
- 4" x 4"
- 4" x 5"
- 4" x 6"
- 5" x 8"

30



Brass Spring Hinges

Size

• Single Moment	100 x 31 (4" x 1.1/4")	125 x 31 (5" x 1.1/4")
• Double Moment	100 x 31 (4" x 1.1/4")	125 x 31 (5" x 1.1/4")

31



Brass Gate Hook 4mm (Medium)

Size

- 50mm (2")
- 63mm (2.1/2")
- 75mm (3")



Brass Gate Hook 5mm (Medium)

Size

- 100mm (4")
- 125mm(5")
- 150mm (6")

32



Brass Gate Hook 6mm (Heavy)

Size

- 125mm (5")
- 150mm(6")

33



Brass Window Adjuster

Size

- 200mm (8")
- 250mm(10")
- 300mm (12")



Brass Delux Window

Size

- 6"
- 6"HY

CHARVI EXTRUSION

34



Heps & Staples

Size

- 37 x 19 (1.1/2" x 3/4")
- 50 x 19 (2" x 3/4")
- 63 x 19 (2.1/2" x 3/4")
- 75 x 19 (3" x 3/4")
- 100 x 25 (4" x 1")

35



Brass Piot Center & Out Center

Size

- 3" x 3/4"
- 4" x 1"
- 5" x 1"

36



Mirror Screws

Size

- 1/2"
- 3/4"
- 1"
- 1.1/4"
- 1.1/2"
- 2"
- 2.1/2"
- 3"

37



Brass Pipe Bracket CP

Size

- Conceal 3/4" 1"
- Bend 3/4" 1"

38



F Bracket

Size

- 6 & 8mm 2"
- 6,8 &12mm 2.1/2
- 6,8 &12mm 3"
- 6,8 &12mm 4"
- 6,8 &12mm 6"
- 8 &12mm 8"
- 8 &12mm 10"
- 8 &12mm 12"

39



Glass D Bracket

Size

- 6mm (1.1/2")
- 8mm (1.1/2")
- 10mm (1.1/2")
- 6mm (2")
- 8mm (2")
- 10mm (2")
- 12mm (1.1/2")
- 12mm (2")

40



Glass Pivot

Size

- 6mm (1.1/2")
- 8mm (1.1/2")
- 6mm (2")
- 8mm (2")

41



Glass Square Bracket

Size

- 8mm (2")
- 10mm (2")
- 12mm (2")
- 19mm (2x1")

42



Glass Folding Bracket

Size

- 8mm(2")
- 12mm(2")
- 12mm (2x1.1/2")
- 12mm (3x1.1/2")
- 12mm(3x2")
- 12mm (4x2")
- 19mm (2x1.1/2")
- 19mm(3x1.1/2")
- 19mm (3x2")
- 19mm (4x2")

43



BET

Size

- Light
- Medium
- Heavy

Self Button Thread

Size

- Light
- Medium
- Heavy

Export Products

CHARVI EXTRUSION

44



Brass Railway Hinges (2 mm)

Size

- (4 x 2.25")
- (4 x 2.5")
- (4 x 3")
- (4 x 4")
- (5 x 2.5")
- (5 x 3")
- (5 x 4")
- (6 x 2.5")
- (6 x 3")
- (6 x 4")

45




Brass Railway Hinges (2.5mm)

Size

- (5 x 2.5")
- (4 x 3")
- (4 x 4")
- (5 x 5")
- (6 x 2.5")
- (5 x 3")
- (5 x 4")
- (6 x 5")
- (6 x 3")
- (6 x 4")

46



Brass Railway Hinges (3mm)

Size

- (4 x 2.5")
- (4 x 3")
- (4 x 4")
- (5 x 5")
- (5 x 2.5")
- (5 x 3")
- (5 x 4")
- (5 x 5")
- (6 x 2.5")
- (6 x 3")
- (6 x 4")
- (6 x 6")

47




Brass Railway Hinges (3.5mm)

Size

- (5 x 5")
- (5 x 6")
- (6 x 6")

48



Brass Copper Bronze Washer Hinges

Size

- 76 x 50 x 2.5mm
- 102 x 67 x 3.5mm

ADVANCE TECHNOLOGY

At Charvi Extrusion we have adopted advanced technology in order to meet large orders of customers within pre-defined time period. Moreover, our manufacturing unit is armed with the sophisticated manufacturing technology that assists us in manufacturing world class range of products in compliance with international quality standards.

INFRASTRUCTURE FACILITIES

We are supported by most advanced infrastructural base that is equipped with all latest machinery and advanced tools. Our infrastructural base sprawls over a vast area and supported by a team of experienced workforce that holds years of experience in their respective domain.

In order to ensure hassle free production, we have segregated our infrastructural base into units such as manufacturing, quality control, warehousing & packaging and sales & marketing unit.

STRATEGIC PLANNING

- Link long-term plan or competitive strategy with operational activities
- For employees health & safety
- For minimize environmental impacts
- For reduce variability
- For sediment routine management
- For market expansion

WHY WE ?

- State of the art manufacturing facilities
- Technically qualified engineers & professionals team.
- Strong market networks to distribute our products
- We strive to achieve outstanding results with efficient resources utilization.

CUSTOMER FOCUS

Being a client-centric organization, we emphasis on the quality of the offered products. Our offered products are precisely designed keeping in mind global quality norms and innovative technology.

Furthermore, by following ethical business practices and maintaining transparency in all our business dealings, we have managed to maintain long term associations with our valued clients.



CHARVI EXTRUSION

Shed no - 552-553, B/h Nawanagar Bank,
GIDC-2 Dared, Jamnagar - 361004, Gujarat, India.

+91 288 2731115 , 2731116 , 2731117

+91 288 2731118

info@charviextrusion.com

www.charviextrusion.com